ASSEMBLY PASTE

Issued: 15/03/2012 Revision No: 1

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: ASSEMBLY PASTE
Company name: Global Lubricants Ltd
13 Sandwell Business Development Centre
Oldbury Road
Smethwick,
West Midlands
B66 1NN

Tel: +44 (0)121 5443638 Fax: +44 (0)121 5446505

2. COMPOSITION / INFORMATION ON INGREDIENTS

A blend of petroleum jelly and molybdenum disulphide.

3. HAZARDS IDENTIFICATION

Main hazards:

England

No significant hazard.

Lubricants Ltd.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: Nausea and stomach pains may occur. There maybe vomiting.

Inhalation: No symptoms.

4. FIRST AID MEASURES (ACTION)

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor if

symptoms persist.

Ingestion: Wash out mouth with water. Do not induce vomiting.

Inhalation: Remove to fresh air. Consult a doctor if recovery is not rapid or complete.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Carbon dioxide, Alcohol or polymer foam, Dry chemical powder

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective

clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of product.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

Handling requirements: When using do not smoke eat or drink.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection: Respiratory protection not required.

Hand protection: Exercise normal industrial hygiene

Eye protection: Ensure eye bath is to hand. **Skin protection:** Avoid prolong skin contact

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Paste

Colour: Grey/Black

Odour: Bland

Solubility in water: Insoluble Viscosity: Highly viscous Melting point °C: 60-70

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Flames

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes of hydrogen

chloride/phosgene and oxides of sulphur.

11. TOXICOLOGICAL INFORMATION

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION

Mobility: Semi solid at room temperature.

Persistence and degradability: Only slightly biodegradable. **Bioaccumulative potential:** Slight bioaccumulation potential.

Other adverse effects: Negligible ecotoxicity.

13. DISPOSAL CONSIDERATIONS

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

Not Classified

15. REGULATORY INFORMATION

Hazard symbols: None

Safety Phrases:

S2 Keep out of the reach of children.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

